

# PLATINUM SMART-HEAT™ GAS

The Platinum Smart-Heat<sup>™</sup> Gas heater series spreads heat and comfort evenly in all areas, with a soft and soothing red glow. Built with pure premium materials and designed with elegance, there is no compromise on performance, reliability and beauty. 500 SERIE

**300 SERIES** 





## SPECIFICATIONS

Reference the specification guide below to help you select the correct solution for your needs.

MODEL NUMBER	300 SERIES	500 SERIES
FUEL TYPE	LPG   NG	LPG   NG
COLOUR	BLACK	BLACK
HEAT AREA	12M <sup>2</sup>	20M <sup>2</sup>
MINIMUM FLOOR CLEARANCE	2,000MM	2,000MM
OUTPUT	25 MJ	42MJ
MOUNTING OPTIONS		
CEILING MOUNT	$\checkmark$	$\checkmark$
WALL MOUNT	$\checkmark$	$\checkmark$
RECESSED   FLUSH MOUNT	-	-
CEILING POLE MOUNT	$\checkmark$	$\checkmark$


#### CONTROL OPTIONS

FREESTANDING

ON   OFF	$\checkmark$	√
DIMMER	-	-
MASTER REMOTE	-	-

## DIMENSIONS

With a wide range of sizes available, find the ideal heater to suit your outdoor space.




Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations. All measurement in this document are displayed in mm.

## MOUNT OPTIONS

With a wide array of mounting options, Bromic offers solutions to compliment any décor and provide functionality for ambiance and comfort.

## **HEATING REACH**

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution options to suit your outdoor heating needs.



EXTEND YOUR COMFORT OUTDOORS WITH THE SUPERIOR HEAT AND AWARD-WINNING DESIGN OF OUR SMART-HEAT<sup>™</sup> OUTDOOR HEATERS.

-----



**PIVOT BRACKET** Allows for directional heat distribution

PATENTED PERFORMANCE Superior wind resistance

r

UNIQUE DESIGN Ceramic fascia enables even heat distribution

PREMIUM CONSTRUCTION High performing stainless steel for long lasting and durable use

### BROMIC.COM/HEAT

ASIA PACIFIC | NORTH AMERICA | EUROPE

Bromic pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice. 03.2021