



ECLIPSE


SMART-HEAT™ ELECTRIC



KEY FEATURES

- ▶ **Dual Functionality:** Combines efficient radiant heating with a dimmable LED lighting rail, allowing seamless transition from dinner to drinks while enhancing ambiance.
- ▶ **Contemporary Design:** Features a luxurious pendant design with a contemporary matte black finish and radial ceramic screen.
- ▶ **Flexible Mounting Options:** In addition to the complimentary 600mm Twin Pole, the Eclipse Electric can be paired with five other striking pole designs, including wall-mounted and ceiling-mounted options, to suit various outdoor settings.
- ▶ **Adjustable Heat & Light Settings:** Included controller with wireless remote offers three different heat (33%, 66%, 100%) and incremental light outputs, providing customizable comfort and ambiance.

DIMENSIONS



MOUNTING OPTIONS



8" Straight Pole



24" Straight Pole



24" Twin Pole



24" Curved Pole



48" Straight Pole




Wall Pole

Discover more about Eclipse Smart-Heat™ Electric

Learn more at bromic.com



BROMIC
HEATING




SPECIFICATIONS



| WATTAGE | HEAT AREA | WEIGHT | RATED CURRENT | MINIMUM FLOOR CLEARANCE | APPROVAL CERTIFICATION | IP RATING | CONTROL OPTIONS |
|---------|--------------------|--------|----------------|-------------------------|--------------------------------|-----------|--|
| 2900W | 121ft ² | 30lbs. | 220-240V/12.1A | WALL 96" CEILING 96" | SGS / NA SGSNA/21/ GZ/00074 | IP54 | Affinity Eclipse Manual Wall Switch |

CLEARANCES

INCLUDED MOUNT



MOUNTING ACCESSORIES





For more information visit us at www.bromic.com

BROMIC[®]
HEATING