

ECLIPSE SMART-HEAT® ELECTRIC



KEY FEATURES


Dual Functionality: Combines efficient radiant heating with dimmable LED lighting, allowing a seamless transition from afternoon to evening while enhancing ambiance.

Contemporary Design: Features a modern pendant design with a contemporary matte black finish and radial ceramic screen.


Flexible Mounting Options: In addition to the complimentary 600mm Twin Pole, the Eclipse Electric can be paired with five other striking pole designs, including wall mounted and ceiling mounted options, to suit various outdoor settings.

► **Adjustable Heat & Light Settings:** Offers three different heat (33%, 66%, 100%) and incremental light outputs, providing customizable heating performance and ambiance.

DIMENSIONS



MOUNTING OPTIONS



BROMIC
HEATING


Learn more at bromic.com

SPECIFICATIONS



PRODUCT NUMBER	WATTAGE	HEAT AREA	WEIGHT	RATED CURRENT	MINIMUM FLOOR CLEARANCE	APPROVAL CERTIFICATION	IP RATING	LED LUMENS	CONTROL OPTIONS
BH0920003	2900W	12ft ²	30lbs.	208V 220-240V/12.1A	WALL 96" CEILING 96"	SGS / NA SGSNA/21/GZ/00074	IP54	497Lm	Affinity Eclipse Manual Wall Switch
BH0920001-I									

CLEARANCES

INCLUDED MOUNT



MOUNTING ACCESSORIES





For more information visit us at www.bromic.com

BROMIC
HEATING